 Pending

 **Active**

- L1: (93) (compress\$3 adj video) and (disk adj controller) and memory

- L2: (65) 1 and (RAM or (randomly near3 accessible near3 memory))

—  L3: (55) 2 and (read and write)

--- L4: (32) 3 and interconnect\$3

☑ L6: (1) 5 and (embedded near3 address)

• L5: (12) 4 and (command near3 (data or signal))

☞ L7: (5) 5 and DMA

• L8: (0) 7 and (valid near 5 signal)

• L9: (0) 7 and (valid near5 command near5 signal)

• L10: (0) 2 and (valid near5 command near5 signal)

— L11: (16) 1 and (valid near5 signal)

--- L12: (14) 2 and (valid near5 signal)

L14: (0) 5 and (valid near5 signal)

--- L13: (14) 4 and (valid near5 signal)

☐ L15: (0) 13 and DMA

☛ L16: (14) 13 and (queue or queing)

 Failed

 Saved Favorites

Tagged (7)

UDC

 **Queue**

[Search](#)
[List](#)
[Browse](#)
[Queue](#)
[Clear](#)






DBs: USPAT; US-PGPUB; EPO

#### Plurals

Default operator: ☒ OR

☒ Highlight all hit terms initially

13 and (queue or queuing)

 BRS form
  ISR form
  Image
  Text
  HTML

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6093213 A	20000725	37	Flexible implementation of a system management mode (SMM) in a processor	703/27	703/25; 712/209	F
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5819056 A	19981006	44	Instruction buffer organization method and system	712/204	712/210; 712/212;	F
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5809273 A	19980915	43	Instruction predecode and multiple instruction decode	712/210	712/212; 712/213;	F

EAST - [Untitled1:1]

File View Edit Tools Window Help

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (4)

UDC

Queue

Trash

L1: (93) (compress\$3 adj video) and (disk adj controller) and memory

L2: (65) 1 and (RAM or (randomly near3 accessible near3 memory))

L3: (55) 2 and (read and write)

L4: (32) 3 and interconnect\$3

L6: (1) 5 and (embedded near3 address)

L5: (12) 4 and (command near3 (data or signal))

Search

Use

Browse

Queue

Clear

DBs:

USPAT:US:PGPUB:EPO

Plurals

Default operator:

OR

Highlight all hit terms initially

4 and (command near3 (data or signal))

BRS form

IS&R form

Image

Text

HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020071655 A1	20020613	35	INFORMATION RECORDING METHOD AND APPARATUS AND INFORMATION	386/68	386/111; 386/125;	K
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5920702 A	19990706	22	Method of striping a data stream onto subsets of storage devices in a multiple user data distri	709/231	709/246; 710/30;	P
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5671377 A	19970923	23	System for supplying streams of data to multiple users by distributing a data stream to	345/723	345/474; 345/505;	P
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5661848 A	19970826	57	Multi-drive controller with encoder circuitry that generates ECC check bytes using the finite	711/112	360/48; 360/69;	P

Hits

Details

HTML

Ready

NUM

